


# OUTILS ISOLÉS VDE









## Douilles standards

2335VE

1/4"

• IEC 60900



	mm	L mm		
2335VE05M	5	41	14	5 / 45
2335VE06M	6	41	15	5 / 45
2335VE07M	7	41	15	5 / 45
2335VE08M	8	41	15	5 / 45
2335VE09M	9	41	16	5 / 45
2335VE10M	10	41	18	5 / 45
2335VE11M	11	41	21	5 / 45
2335VE12M	12	41	23	5 / 45
2335VE13M	13	41	23	5 / 45
2335VE14M	14	41	26	5 / 45

## Cliquet



2771VE

1/4"

• IEC 60900



	Longueur totale mm		
2771VE55	150	140	2 / 32

## Accessoires

2221VE

1/4"

• IEC 60900



	Longueur totale mm		
2221VE04	100	47	4 / 36
2221VE06	150	68	4 / 48

## Douilles tournevis

2035VE

1/4"

• IEC 60900



	mm	L mm		
2035VE03	H3	54	18	5 / 45
2035VE04	H4	54	18	5 / 45
2035VE05	H5	54	19	5 / 45
2035VE06	H6	54	20	5 / 45

2178VE

1/4"

• IEC 60900



	mm		
2178VE05	125	82	4 / 40

## Coffret de douilles et accessoires isolés


25VE01MRV

1/4"

• IEC 60900

Dimensions du coffret en plastique : 294 x 231 x 66 mm

Contenu			
2335VE	5, 6, 7, 8, 9, 10, 11, 12, 13, 14,	1.30	1 / 10
2035VE	H3, H4, H5, H6		
2221VE	100, 150mm		
2771VE55	2178VE05		



18  
PCS

## Douilles standards

3335VE

3/8"

• IEC 60900



	mm	L mm		
3335VE06M	6	44,5	25	5 / 45
3335VE07M	7	44,5	26	5 / 45
3335VE08M	8	44,5	27	5 / 45
3335VE09M	9	44,5	27	5 / 45
3335VE10M	10	44,5	28	5 / 45
3335VE11M	11	44,5	29	5 / 45
3335VE12M	12	44,5	29	5 / 45
3335VE13M	13	44,5	32	5 / 45
3335VE14M	14	44,5	35	5 / 45
3335VE15M	15	46	40	5 / 45
3335VE16M	16	46	42	5 / 45
3335VE17M	17	46	47	5 / 45
3335VE18M	18	46	48	5 / 60
3335VE19M	19	46	51	5 / 60
3335VE20M	20	46	55	5 / 60
3335VE21M	21	46	59	5 / 60
3335VE22M	22	46	63	5 / 60
3335VE24M	24	46	66	5 / 60

## Douilles tournevis

3025VE

3/8"

• IEC 60900



	mm	Longueur totale mm		
3025VE04	H4	65	37	5 / 50
3025VE05	H5	65	38	5 / 50
3025VE06	H6	65	39	5 / 50
3025VE08	H8	65	42	5 / 50
3025VE10	H10	65	51	5 / 50

## Douilles longues

3235VE

3/8"

• IEC 60900



	mm	L mm		
3235VE08M	8	79	52	5 / 50
3235VE10M	10	79	60	5 / 50
3235VE12M	12	79	68	5 / 50
3235VE14M	14	79	76	5 / 50

## Cliquet

3771VE

3/8"

• IEC 60900



	Longueur totale mm		
3771VE08	200	300	2 / 20

## Accessoires

3221VE

3/8"

• IEC 60900




	Longueur totale mm		
3221VE06	150	150	4 / 48
3221VE10	250	250	4 / 24

3178VE

3/8"

• IEC 60900



	mm		
3178VE08	200	240	2 / 12

## Coffret de douilles et accessoires isolés

35VE01MRV

3/8"

• IEC 60900

Contenu		
3335VE 10, 11, 12, 13, 14, 17, 19	2.16	1 / 6
3025VE 5, 6, 8,		
3221VE 150, 250mm		
3771VE08  3178VE08		

Dimensions du coffret en plastique :  
389 x 229 x 66 mm

14  
PCS



# Douilles standards

4335VE

1/2"

• IEC 60900



	⌀ mm	L mm	⚖	📦
4335VE08M	8	55	54	5 / 40
4335VE10M	10	55	55	5 / 40
4335VE11M	11	55	57	5 / 40
4335VE12M	12	55	58	5 / 40
4335VE13M	13	55	59	5 / 40
4335VE14M	14	55	62	5 / 40
4335VE15M	15	55	60	5 / 40
4335VE16M	16	55	60	5 / 40
4335VE17M	17	55	70	5 / 50
4335VE18M	18	55	77	5 / 50
4335VE19M	19	55	72	5 / 50
4335VE20M	20	55	80	5 / 50
4335VE21M	21	55	73	5 / 50
4335VE22M	22	55	87	5 / 50
4335VE24M	24	55	96	5 / 50
4335VE27M	27	59	125	5 / 50
4335VE30M	30	59	146	5 / 50
4335VE32M	32	59	170	5 / 50

# Cliquet

4771VE

1/2"

• IEC 60900



	Longueur totale mm	⚖	📦
4771VE10	250	570	2 / 20

# Accessoires

4251VE

1/2"

• IEC 60900



	Longueur totale mm	⚖	📦
4251VE05	125	210	4 / 40
4251VE10	250	410	4 / 40

4178VE

1/2"

• IEC 60900



	mm	⚖	📦
4178VE08	200	330	2 / 12

# Douilles tournevis

4025VE

1/2"

• IEC 60900



	⌀ mm	Longueur totale mm	⚖	📦
4025VE04	H4	75	78	5 / 50
4025VE05	H5	75	78	5 / 50
4025VE06	H6	75	79	5 / 50
4025VE08	H8	75	80	5 / 50
4025VE10	H10	75	89	5 / 50

4035VE

1/2"

• IEC 60900



	⌀ mm	Longueur totale mm	⚖	📦
4035VE04	H4	120	99	5 / 50
4035VE05	H5	120	99	5 / 50
4035VE06	H6	120	100	5 / 50
4035VE08	H8	120	102	5 / 50
4035VE10	H10	120	121	5 / 50

# Coffret de douilles et accessoires isolés

45VE01MRV

1/2"

• IEC 60900

Contenu	⚖	📦
⊙ 4335VE 8, 10, 12, 13, 14, 17, 19, 21, 22, 24	3.22	1 / 6
● 4025VE H8, H10		
⚡ 4251VE 125, 250mm		
⚡ 4771VE10		4178VE08

Dimensions du coffret en plastique :  
389 x 229 x 66 mm

16  
PCS




# Clés à fourche



## 10FOVE

• IEC 60900

	Dimensions mm	L mm		
10FOVE07	7	88	20	5 / 50
10FOVE08	8	104	26	5 / 50
10FOVE09	9	104	26	5 / 50
10FOVE10	10	114	40	5 / 50
10FOVE11	11	124	60	5 / 50
10FOVE12	12	124	60	5 / 50
10FOVE13	13	154	90	5 / 50
10FOVE14	14	154	90	5 / 50
10FOVE16	16	170	125	5 / 50
10FOVE17	17	170	125	5 / 50
10FOVE18	18	180	150	5 / 50
10FOVE19	19	180	150	5 / 50
10FOVE21	21	202	215	5 / 50
10FOVE22	22	202	215	5 / 50
10FOVE24	24	237	270	5 / 40



# Trousses de clés à fourche

## 12FVE08MRN

8  
PCS



12FVE08MRN

► Trousse en Polyester

## 12FVE10MRN

10  
PCS



12FVE10MRN

► Trousse en Polyester

	PCS	Contenu	1.00	1 / 10
12FVE08MRN	8	10FOVE 10 - 11 - 12 - 13 - 14 - 17 - 18 - 19		
12FVE10MRN	10	10FOVE 10 - 11 - 12 - 13 - 14 - 16 - 17 - 18 - 19 - 22		









# Clés polygonales 75°

## 10GOVE

• IEC 60900




	Dimensions mm	L mm		
10GOVE07	7	149	62	5 / 50
10GOVE08	8	164	70	5 / 50
10GOVE09	9	164	70	5 / 50
10GOVE10	10	174	80	5 / 50
10GOVE11	11	184	90	5 / 50
10GOVE12	12	184	90	5 / 50
10GOVE13	13	205	140	5 / 40
10GOVE14	14	205	140	5 / 40
10GOVE16	16	221	185	5 / 40
10GOVE17	17	221	185	5 / 40
10GOVE18	18	237	235	5 / 50
10GOVE19	19	237	235	5 / 50
10GOVE21	21	257	295	5 / 40
10GOVE22	22	257	295	5 / 40
10GOVE24	24	287	390	5 / 40




# Clés à molette

## 3611VE

• IEC 60900

	mm	L mm		
3611VE06	24	164	167	4 / 32
3611VE08	28	212	273	4 / 32
3611VE10	32	260	497	4 / 32
3611VE12	38	310	679	4 / 24




# Pinces universelles

- Poignée en TPR
- Tête polie
- Acier chrome vanadium
- IEC DIN EN 60900




6116A



Icon	inch	L	mm	Capacités de coupe				ø mm	Weight	Packaging
				●	●	●	●			
611607A	7-1/2		185	4.0	3.0	2.0	1.6	290	10 / 60	
611608A	8		200	4.0	3.0	2.0	1.6	386	10 / 60	

# Pince coupe-câble


6146A



Icon	inch	L	mm	ø mm	Weight	Packaging
614608A	8-1/4		214	14	360	10 / 60

# Pinces coupantes à coupe diagonale


6216A



Icon	inch	L	mm	Capacités de coupe				ø mm	Weight	Packaging
				●	●	●	●			
621606A	6-1/2		167	4.0	2.8	2.0	1.6	230	10 / 60	

6236A

- Type gros efforts




Icon	inch	L	mm	Capacités de coupe				ø mm	Weight	Packaging
				●	●	●	●			
623607A	7-1/2		190	5.0	3.5	2.4	2.0	280	10 / 60	

# Pince à bec demi-rond

6318A



- Serre-tube intégré



Icon	inch	L	mm	Capacités de coupe				ø mm	Weight	Packaging
				●	●	●	●			
631808A	8-1/4		210	4.0	2.8	2.0	1.6	230	10 / 60	






# Pince à bec demi rond coudé

6336A




- Serre-tube intégré



	inch	L mm	∅ mm	Capacités de coupe				
633608A	8	200	4.0	3.0	2.0	1.6	250	10 / 60

# Pince multiprise

6516A





	A mm	B mm	inch	L mm	mm		
651610A	55	63	10	250	36	420	10 / 50

# Pince à dénuder

6716A



- Avec ressort



	inch	L mm	∅ mm	Dénudage mm <sup>2</sup>		
671606A	6-1/4	160	5	10	205	10 / 60

# Jeu de pinces isolées

40603GP



3 PCS

Contenu			kg	
611607A		631808A	0.89	1 / 20
		621606A		

# Tournevis isolés



- Lame en SNCM + V
- Poignée en PP + TPR
- Finition : lame polie, chromée, empreinte traitée noire

## 1471



- Empreinte PHILLIPS®, lame ronde
- IEC 60900

	No.	mm		mm	g	kg
		mm	inch			
14710003	PH0	75	3	3.0	37	12 / 144
14710104	PH1	100	4	4.5	54	12 / 216
14710204	PH2	100	4	6.0	77	12 / 144
14710306	PH3	150	6	8.0	135	12 / 144



## 1472



- Empreinte pour vis à fente, lame ronde
- IEC 60900

	mm		mm		mm	g	kg	
	mm	inch	mm	inch				
14720303	3	1/8	0.5	75	3	3.0	38	12 / 144
14720404	4	3/16	0.8	100	4	4.0	44	12 / 96
14723504	3.5	1/8	0.6	100	4	3.5	54	12 / 144
14725505	5.5	7/32	1	125	5	5.5	72	12 / 144
14726506	6.5	1/4	1.2	150	6	6.5	87	12 / 144
14720807	8	5/16	1.2	175	7	8.0	143	12 / 144



## 1478



- Empreinte POZIDRIV®, lame ronde
- IEC 60900

	Taille	mm		mm	g	kg
		mm	inch			
14780003	PZ0	75	3	3.0	37	12 / 144
14780104	PZ1	100	4	4.5	54	12 / 96
14780204	PZ2	100	4	6.0	77	12 / 144
14780306	PZ3	150	6	8.0	135	12 / 144



# Jeux de tournevis isolés



- Lame en SNCM + V
- Poignée en PP + TPR
- Finition : lame polie, chromée, empreinte traitée noire

## 30607MR

## 30617MR



	PCS	Contenu	kg	1 / 20
30607MR	7	1472 4 x 100, 5.5 x 125, 6.5 x 150, 8.0 x 175	0.86	1 / 20
		1478 PZ1 x 100, PZ2 x 100, PZ3 x 150		
30617MR	7	1471 PH1 x 100, PH2 x 100, PH3 x 150	0.86	1 / 20
		1472 4 x 100, 5.5 x 125, 6.5 x 150, 8.0 x 175		

